

LEDguardian SAVER LIGHT PLUS

LED warning lights



Practical all-rounder

Torch, work light and warning light in one product



Equipped with 12+1 high-quality, long-lasting LEDs

Strong warning light with 12 yellow flashing LEDs in the handle for warning and alarm signals



Seat belt cutter

To cut the seat belt in case of emergency



Emergency hammer

To smash the windscreen in case of emergency



Prepared for any emergency situation

LEDguardian SAVER LIGHT PLUS provides a reliable light during your travels, when camping and for inspection and maintenance work on your car. This multifunctional torch has a powerful LED light and non-slip, dirt-resistant surface. Thanks to the holder or three magnets included in the package, the light can be easily attached wherever you need it in the car or on the roof. Due its twelve yellow flashing LED lights the torch can be transformed into a reliable warning light in dangerous situations. In addition to this, this practical all-rounder offers reliable help as an emergency hammer to smash the windscreen and as a seat belt cutter. OSRAM provides a 2 year guarantee for this product. Legal advice: LEDguardian SAVER LIGHT PLUS is not approved as warning light according to German Road Traffic Licencing Regulations (StVZO).

Product datasheet

Technical data

Product information

Order reference	LEDGUARDIAN SAV
Application (Category and Product specific)	Warning and safety lights


Electrical data

Nominal wattage	1.7 W
Nominal voltage	3 V

Photometrical data

Color temperature	6000 K
Luminous flux	105 lm
Light color LED	Warm white

Dimensions & weight



Product weight	181.00 g
Length	180.0 mm
Width	63.0 mm
Height	53.0 mm

Colors & materials

Base color	Grey
------------	------

Lifespan

Guarantee	3 years
-----------	---------

Additional product data

Type of Battery	Dry battery
-----------------	-------------

Product datasheet

Number of included batteries	2XAA
Scope of battery	No
Battery	Dry battery

Capabilities

Technology	LED
------------	-----

Certificates & standards

Standards	CE
Type of protection	IP20

Country specific categorizations

Order reference	LEDGUARDIAN SAV
-----------------	-----------------

Environmental information

Date of Declaration	10-11-2021
Primary Article Identifier	4052899132344
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	ff46cf4a-8a2d-4721-a7d5-b6e53380f07c

Equipment / Accessories

- Holder included for mounting in car
- Three magnets included for attachment to metal surfaces
- Two AA batteries required (not included)




Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899132344	LEDguardian SAVER LIGHT PLUS	Blister 1	245 mm x 135 mm x 68 mm	2.25 dm ³	212.00 g
4052899132351	LEDguardian SAVER LIGHT PLUS	Shipping carton box 6	215 mm x 166 mm x 259 mm	9.24 dm ³	1434.00 g
4052899132368	LEDguardian SAVER LIGHT PLUS	Shipping carton box 36	509 mm x 270 mm x 446 mm	61.29 dm ³	9161.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Download Data

File	
	Movie application OSRAM Quality Testing LEDguardian warning lights (EN)
	Product movie LEDguardian warning lights: Product Video (EN)
	Video LEDguardian Road Flare and Saver Light Plus Trailer (EN)

Legal advice

Not approved as warning light according to German Road Traffic Licencing Regulations (StVZO).

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM