

ORIGINAL LINE H1

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

| | |
|---|------------------------|
| Order reference | 64150 |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


| | |
|-----------------|--------------------|
| Power input | 68 W ¹⁾ |
| Nominal voltage | 12.0 V |
| Nominal wattage | 55.00 W |
| Test voltage | 13.2 V |

¹⁾ Maximum

Photometrical data

| | |
|-------------------------|---------|
| Luminous flux | 1550 lm |
| Luminous flux tolerance | ±15 % |
| Color temperature | 3200 K |

Dimensions & weight



| | |
|----------------|---------|
| Diameter | 9 mm |
| Product weight | 6.89 g |
| Length | 67.5 mm |

Lifespan

| | |
|-------------|-------|
| Lifespan B3 | 400 h |
| Lifespan Tc | 650 h |

Additional product data

| | |
|-----------------------------|--------|
| Base (standard designation) | P14.5s |
|-----------------------------|--------|

Product datasheet

Capabilities

| | |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

| | |
|--------------|----|
| ECE category | H1 |
|--------------|----|

Country specific categorizations

| | |
|-----------------|-------|
| Order reference | 64150 |
|-----------------|-------|

Country specific information

| Product code | METEL code | SEG-No. | STK number | UK Org |
|---------------|--------------|---------|------------|--------|
| 4050300001487 | OSRA64150 | - | - | - |
| 4050300206820 | OSRA64150 | - | - | - |
| 4050300001487 | OSRA64150 | - | - | - |
| 4050300925264 | OSRA64150BL1 | - | 4730314 | - |
| 4050300925264 | OSRA64150BL1 | - | 4730314 | - |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4050300001487 | ORIGINAL LINE H1 | Folding carton box 1 | 25 mm x 23 mm x 70 mm | 0.04 dm ³ | 8.00 g |
| 4050300206820 | ORIGINAL LINE H1 | Bundle 10 | 79 mm x 68 mm x 90 mm | 0.48 dm ³ | 82.00 g |
| 4050300206837 | ORIGINAL LINE H1 | Shipping carton box 100 | 361 mm x 109 mm x 122 mm | 4.80 dm ³ | 915.00 g |
| 4050300925264 | ORIGINAL LINE H1 | Blister 1 | 135 mm x 95 mm x 24 mm | 0.31 dm ³ | 28.00 g |
| 4008321142009 | ORIGINAL LINE H1 | Shipping carton box 10 | 225 mm x 145 mm x 107 mm | 3.49 dm ³ | 242.33 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| |
|------|
| File |
|------|

Product datasheet



360 Degree Image
ORIGINAL H1 64150

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM